Oecologia

In Cooperation with the
International Association for Ecology (Intecol)

Volume 81 1989

Editors in Chief

J.R. Ehleringer, Salt Lake City
C.H. Peterson, Morehead City
H. Remmert, Marburg
E.-D. Schulze, Bayreuth

Editorial Board

F.A. Bazzaz, Cambridge
F. Berendse, Wageningen
A. Bertsch, Marburg
P.J. den Boer, Wijster
M.M. Caldwell, Logan
T. Case, La Jolla
F.S. Chapin III, Berkeley
L. Crowder, Raleigh
J.J. Gilbert, Hanover
J.L. Harper, Bangor
M.P. Hassell, Ascot
T. Hirose, Sendai
G.J. Kenagy, Seattle
J. Kingsolver, Seattle
C. Körner, Basel
C.J. Krebs, Vancouver
O.L. Lange, Würzburg
J.H. Lawton, Ascot
S. Louda, Lincoln
P. Miles, Glen Osmond
H. Mooney, Stanford
D. Neumann, Köln
J.S. Pate, Nedsland
R.W. Pearcy, Davis
M. Schaefer, Göttingen
Th.W. Schoener, Davis
N.C. Turner, Wembley
P. Vitousek, Stanford
D. Waller, Madison
A. Watkinson, Norwich
T.C.R. White, Glen Osmond
W. Wieser, Innsbruck
H. Wolda, Miami
H. Ziegler, München
H. Zwölfer, Bayreuth

Springer International

Oecologia

Derived from *"Zeitschrift für Morphologie und Ökologie der Tiere", Oecologia* was founded in 1968, Volumes (1968–1982), and edited by H. Remmert. As of Volume 53 (1982) the journal has been edited by both H. Remmert and E.-D. Schulze. As of volume 81 (1989) the journal has been edited by J.R. Ehleringer, Salt Lake City, C.H. Peterson, Morehead City, H. Remmert, Marburg, E.-D. Schulze, Bayreuth.

Submission of a manuscript implies: that the work described has not been published before (except in the form of an abstract or as part of a published lecture, review, or thesis); that it is not under consideration for publication elsewhere; that its publication has been approved by all coauthors, if any, as well as by the responsible authorities at the institute where the work has been carried out; that, if and when the manuscript is accepted for publication, the authors agree to automatic transfer of the copyright to the publisher; and that the manuscript will not be published elsewhere in any language without the consent of the copyright holders.

All articles published in this journal are protected by copyright, which covers the exclusive rights to reproduce and distribute the article (e.g., as offprints), as well as all translation rights. No material published in this journal may be reproduced photographically or stored on microfilm, in electronic data bases, video disks, etc., without first obtaining written permission from the publisher.

The use of general descriptive names, trade names, trademarks, etc., in this publication, even if not specifically identified, does not imply that these names are not protected by the relevant laws and regulations.

While the advice and information in this journal is believed to be true and accurate at the date of its going to press, neither the authors, the editors, nor the publisher can accept any legal responsibility for any errors or omissions that may be made. The publisher makes no warranty, express or implied, with respect to the material contained herein.

Special regulations for photocopies in the USA: Photocopies may be made for personal or in-house use beyond the limitations stipulated under Section 107 or 108 of U.S. Copyright Law, provided a fee is paid. This fee is US $0.20 per page, or a minimum of US $1.00 if an article contains fewer than five pages. All fees should be paid to the Copyright Clearance Center, Inc., 21 Congress Street, Salem, MA 01970, USA, stating the ISSN 0029-8549, the volume, and the first and last page numbers of each article copied. The copyright owner's consent does not include copying for general distribution, promotion, new works, or resale. In these cases, specific written permission must first be obtained from the publisher.

Printers: Universitätsdruckerei H. Stürtz AG, Würzburg

© Springer-Verlag Berlin Heidelberg 1989

Springer-Verlag GmbH & Co. KG, D-1000 Berlin 33

Contents

Aerts R, Berendse F, Klerk NM, Bakker C: Root production and root turnover in two dominant species of wet heathlands 374
Andersen AN: How important is seed predation to recruitment in stable populations of long-lived perennials? 310
Angerbjörn A: Mountain hare populations on islands: effects of predation by red fox 335
Arts MT, Sprules WG: Use of enclosures to detect the contribution of particular zooplankton to growth of young-of-the-year yellow perch (*Perca flavescens* Mitchell) 21

Baker RL: Condition and size of damselflies: a field study of food limitation 111
Bakker C → Aerts R
Bartelheim S → Neuffer B
Bekoff M, Scott AC, Conner DA: Ecological analyses of nesting success in evening grosbeaks 67
Bennett WN, Boraas ME: Comparison of population dynamics between slow- and fast-growing strains of the rotifer *Brachionus calyciflorus* pallas in continuous culture 494
Berendse F → Aerts R
Berg H van den → Dicke M
Bird DF → Prairie YT
Bodmer RE: Ungulate biomass in relation to feeding strategy within Amazonian forests 547
Boer PJ den: Comment on the article "On testing temporal niche differentiation in carabid beetles" by M. Loreau 97
Bond WJ, Stock WD: The costs of leaving home: ants disperse myrmecochorous seeds to low nutrient sites 412
Boraas ME → Bennett WN
Borough CJ → West PW
Bozinović F → Marquet PA
Bradley JS → Serventy DL
Brown VK → Gange AC
Buchmann SL, Cane JH: Bees assess pollen returns while sonicating *Solanum* flowers 289

Caldwell MM → Gold WG
Caldwell MM → Jackson RB
Campbell IM: Does climate affect host-plant quality? Annual variation in the quality of balsam fir as food for spruce budworm 341
Cane JH → Buchmann SL
Chandler GT: Foraminifera may structure meiobenthic communities 354
Coleman JS, Mooney HA, Gorham JN: Effects of multiple stresses on radish growth and resource allocation.. I. Responses of wild radish plants to a combination of SO_2 exposure and decreasing nitrate availability 124
Conner DA → Bekoff M
Curran WJ → Thompson LD

Davies RW, Kasserra CE: Foraging activity of two species of predatory leeches exposed to active and sedentary prey 329
Diamantoglou S, Rhizopoulou S, Kull U: Energy content, storage substances, and construction and maintenance costs of Mediterranean deciduous leaves 528
Dicke M, Sabelis MW, Berg H van den: Does prey preference change as a result of prey species being presented together? Analysis of prey selection by the predatory mite *Typhlodromus pyri* (Acarina: Phytoseiidae) 302
Donnelly MA: Effects of reproductive resource supplementation on space-use patterns in *Dendrobates pumilio* 212
Duffy JE → Hay ME

Eriksen B → Molau U

Fajer ED: The effects of enriched CO_2 atmospheres on plant-insect herbivore interactions: growth responses of larvae of the specialist butterfly, *Junonia coenia* (Lepidoptera: Nymphalidae) 514
Fenical W → Hay ME
Fry JD: Evolutionary adaptation to host plants in a laboratory population of the phytophagous mite *Tetranychus urticae* Koch 559

Gagné RJ → Hawkins BA
Galen C, Gregory T: Interspecific pollen transfer as a mechanism of competition: consequences of foreign pollen contamination for seed set in the alpine wildflower, *Polemonium viscosum* 120
Gange AC, Brown VK: Effects of root herbivory by an insect on a foliar-feeding species, mediated through changes in the host plant 38
Garrish RS, Lee TD: Physiological integration in *Cassia fasciculata* Michx.: inflorescence removal and defoliation experiments 279
Georges A: Female turtles from hot nests: is it duration of incubation or proportion of development at high temperatures that matters? 323
Georgiadis NJ, Ruess RW, McNaughton SJ, Western D: Ecological conditions that determine when grazing stimulates grass production 316
Gilbert JJ → MacIsaac HJ
Giordano M, Maberly SC: Distribution of carbonic anhydrase in British marine macroalgae 534
Gold WG, Caldwell MM: The effects of the spatial pattern of defoliation on regrowth of a tussock grass. II. Canopy gas exchange 437
Goldburg RJ → Morrow PA
Golluscio RA → Sala OE
Gordon DM: Ants distinguish neighbors from strangers 198
Gorham JN → Coleman JS
Gower ST, Vitousek PM: Effects of nutrient amendments on fine root biomass in a primary successional forest in Hawai'i 566
Gregory T → Galen C
Gunn BM → Serventy DL

Hails RS: Host size and sex allocation of parasitoids in a gall forming community 28
Hanazato T, Yasuno M: Zooplankton community structure driven by vertebrate and invertebrate predators 450
Hanhimäki S: Induced resistance in mountain birch: defence against leaf-chewing insect quild and herbivore competition 242
Hannon SJ → Schieck JO
Haslett JR: Adult feeding by holometabolous insects: pollen and nectar as complementary nutrient sources for *Rhingia campestris* (Diptera: Syrphidae) 361
Hawkins BA, Gagné RJ: Determinants of assemblage size for the parasitoids of Cecidomyiidae (Diptera) 75
Hay ME, Pawlik JR, Duffy JE, Fenical W: Seaweed-herbivore-predator interactions: host-plant specialization reduces predation on small herbivores 418
Herbers JM: Community structure in north temperate ants: temporal and spatial variation 201
Hill CJ, Pierce NE: The effect of adult diet on the biology of butterflies. 1. The common imperial blue, *Jalmenus evagoras* 249
Hill CJ: The effect of adult diet on the biology of butterflies. 2. The common crow butterfly, *Euploea core corinna* 258
Hirose Y → Noda T
Hobbs RJ → Williams K
Hoffman J, Katz U: The ecological significance of burrowing behaviour in the toad *(Bufo viridis)* 510

Iason GR: Growth and mortality in mountain hares: the effect of sex and date of birth 540

Jackett DR → West PW
Jackson RB, Caldwell MM: The timing and degree of root proliferation in fertile-soil microsites for three cold-desert perennials 149
Jaksić FM → Marquet PA
Jones RH, Sharitz RR: Potential advantages and disadvantages of germinating early for trees in floodplain forests 443

Kappen L → Sancho LG
Kasserra CE → Davies RW
Katz U → Hoffman J
Klerk NM → Aerts R
Körner Ch: The nutritional status of plants from high altitudes. A worldwide comparison 379

Konarzewski M → Taylor JRE
Kull U → Diamantoglou S

Lange OL: In memoriam Michael Evenari (formerly Walter Schwarz) 1904–1989
Lauenroth WK → Sala OE
Lee TD → Garrish RS
Lightfoot DC, Whitford WG: Interplant variation in creosotebush foliage characteristics and canopy arthropods 166
Lindroth RL: Biochemical detoxication: mechanism of differential tiger swallowtail tolerance to phenolic glycosides 219
Lindroth RL → Scriber JM
Loreau M: On testing temporal niche differentiation in carabid beetles 89

Maberly SC → Giordano M
MacIsaac HJ, Gilbert JJ: Competition between rotifers and cladocerans of different body sizes 295
MacKay PA → Smith MAH
Marquet PA, Ortiz JC, Bozinović F, Jaksić FM: Ecological aspects of thermoregulation at high altitudes: the case of Andean *Liolaemus* lizards in northern Chile 16
Mazer SJ, Nakamura RR, Stanton ML: Seasonal changes in components of male and female reproductive success in *Raphanus sativus* L. (Brassicaceae) 345
McNaughton SJ → Georgiadis NJ
McQueen RE → Thompson LD
Molau U, Eriksen B, Teilmann Knudsen J: Predispersal seed predation in *Bartsia alpina* 181
Mooney HA → Coleman JS
Morrow PA, Tonkyn DW, Goldburg RJ: Patch colonization by *Trirhabda canadensis* (Coleoptera: Chrysomelidae): effects of plant species composition and wind 43
Mulkey SS → Sternberg L da SL

Nakamura RR → Mazer SJ
Neuffer B, Bartelheim S: Gen-ecology of *Capsella bursa-pastoris* from an altitudinal transsect in the Alps 521
Nielsen SL, Sand-Jensen K: Regulation of photosynthetic rates of submerged rooted macrophytes 364
Nitao J → Scriber JM
Noda T, Hirose Y: 'Males second' strategy in the allocation of sexes by the parasitic wasp, *Gryon japonicum* 145
Núñez JA → Roces F

Ortiz JC → Marquet PA
Otto C: Effects of information asymmetries in contests between net spinning caddis larvae (*Plectrocnemia conspersa*) 176

Pawlik JR → Hay ME
Pierce NE → Hill CJ
Podolsky RH → Price MV
Pollard SD: Constraints affecting partial prey consumption by a crab spider, *Diaea* sp. indet. (Araneae:Thomisidae) 392
Potter DA, Redmond CT: Early spring defoliation, secondary leaf flush, and leafminer outbreaks on American holly 192
Potvin C → Simon J-P
Powell JA: Synchronized, mass-emergences of a yucca moth, *Prodoxus Y-inversus* (Lepidoptera: Prodoxidae), after 16 and 17 years in diapause 490
Prairie YT, Bird DF: Some misconceptions about the spurious correlation problem in the ecological literature 285
Price MV, Podolsky RH: Mechanisms of seed harvest by heteromyid rodents: soil texture effects on harvest rate and seed size selection 267

Ramsey FL: Comments on a 'Saturation Index' 569
Read AF → Trevelyan R
Redmond CT → Potter DA
Reichardt PB → Thompson LD
Reichling SB, Semlitsch RD: Density-dependent injury in larval salamanders 100
Rejmánek M → Spencer DF
Rhizopoulou S → Diamantoglou S
Rico-Gray V, Thien LB: Effect of different ant species on reproductive fitness of *Schomburgkia tibicinis* (Orchidaceae) 487
Roces F, Núñez JA: Brood translocation and circadian variation of temperature preference in the ant *Camponotus mus* 33
Ruess RW → Georgiadis NJ

Sabelis MW → Dicke M
Sala OE, Golluscio RA, Lauenroth WK, Soriano A: Resource partitioning between shrubs and grasses in the Patagonian steppe 501
Sancho LG, Kappen L: Photosynthesis and water relations and the role of anatomy in Umbilicariaceae (lichenes) from Central Spain 473
Sand-Jensen K → Nielsen SL
Savolainen R, Vepsäläinen K, Wuorenrinne H: Ant assemblages in the taiga biome: testing the role of territorial wood ants 481
Schieck JO, Hannon SJ: Breeding site fidelity in willow ptarmigan: the influence of previous reproductive success and familiarity with partner and territory 465
Scott AC → Bekoff M
Scriber JM, Lindroth RL, Nitao J: Differential toxicity of a phenolic glycoside from quaking aspen to *Papilio glaucus* butterfly subspecies, hybrids and backcrosses 186
Semlitsch RD → Reichling SB
Serventy DL, Gunn BM, Skira IJ, Bradley JS, Wooller RD: Fledgling translocation and philopatry in a seabird 428
Sharitz RR → Jones RH
Shea PJ: Interactions among phytophagous insect species colonizing cones of white fir (*Abies concolor*) 104
Silvertown J, Smith B: Germination and population structure of spear thistle *Cirsium vulgare* in relation to experimentally controlled sheep grazing 369
Simon J-P, Potvin C, Strain BR: Effects of temperature and CO_2 enrichment on kinetic properties of $NADP^+$-malate dehydrogenase in two ecotypes of Barnyard grass (*Echinochloa crus-galli* (L.) Beauv.) from contrasting climates 138
Skira IJ → Serventy DL
Smith B → Silvertown J
Smith MAH, MacKay PA: Seasonal variation in the photoperiodic responses of a pea aphid population: evidence for long-distance movements between populations 160
Soriano A → Sala OE
Spencer DF, Rejmánek M: Propagule type influences competition between two submersed aquatic macrophytes 132
Sprules WG → Arts MT
Stanton ML → Mazer SJ
Sternberg LdaSL, Mulkey SS, Wright SJ: Oxygen isotope ratio stratification in a tropical moist forest 51
Stock WD → Bond WJ
Strain BR → Simon J-P

Tanaka K: Energetic cost of web construction and its effect on web relocation in the web-building spider *Agelena limbata* 459
Taylor JRE, Konarzewski M: On the importance of fat reserves for the little auk (*Alle alle*) chicks 551
Teilmann Knudsen J → Molau U
Thien LB → Rico-Gray V
Thompson LD, McQueen RE, Reichardt PB, Trenholm DG, Curran WJ: Factors influencing choice of balsam fir twigs from thinned and unthinned stands by moose 506
Thum M: The significance of carnivory for the fitness of *Drosera* in its natural habitat. 2. The amount of captured prey and its effect on *Drosera intermedia* and *Drosera rotundifolia* 401
Thum M: The significance of opportunistic predators for the sympatric carnivorous plant species *Drosera intermedia* and *Drosera rotundifolia* 397
Tonkyn DW → Morrow PA
Trenholm DG → Thompson LD
Trevelyan R, Read AF: Nest predators and the evolution of avian reproductive strategies: a comparison of Australian and New Zealand birds 274

Uetz GW: The "ricochet effect" and prey capture in colonial spiders 154

Vepsäläinen K → Savolainen R
Vitousek PM → Gower ST

West PW, Jackett DR, Borough CJ: Competitive processes in a monoculture of *Pinus radiata* D. Don 57
Western D → Georgiadis NJ
Whitford WG → Lightfoot DC
Wilber, TP Jr.: Associations between gastropod shell characteristics and egg production in the hermit crab *Pagurus longicarpus* 6

Williams K, Hobbs RJ: Control of shrub establishment by springtime soil water availability in an annual grassland 62
Winemiller KO: Patterns of variation in life history among South American fishes in seasonal environments 225
Wolda H: Comment on the article "On testing temporal niche differentiation in carabid beetles" by M. Loreau and the "Comment on the article of M. Loreau" by P.J. den Boer 99
Wolda H: The equilibrium concept and density dependence tests What does it all mean? 430
Wooller RD → Serventy DL
Wright SJ → Sternberg L da SL
Wuorenrinne H → Savolainen R

Yasuno M → Hanazato T

Indexed in *Current Contents*

Index of key words

Acari 302
Acari 559
Activity 329
Activity temperature 16
Adaptation 160
Adult diet 249, 258
Aggression 100
Air pollution effects 124
Amazonian ungulates 547
Amphibian 100
Andes 16
Annual variation 341
Ant-plant interaction 487
Ants 33, 201, 397, 481, 487
Aphid 38
Aquatic macrophyte 132
Artemisia 149
Ascoglossans 418
Assemblage size 75
Asymmetries 176

Balsam fir 506
Balsam fir foliage 341
Behaviour 302
Belowground competition 149
Biomass 547
Birthdate 540
Body size 295
Bottomland hardwoods 443
Brood development 33
Butterfly biology 249, 258
Buzz pollination 289

Calorific energy 528
Carabid beetles 89
Carbon allocation 566
Carbonic anhydrase 534
Carnivorous plants 397, 401
Cecidomyiidae 75
Chemical defense 418
Chick body composition 551
Chick fat deposition 551
Chlorophyll content 364
Circadian rhythm 33
Cladocera 295
Clipping 437
C4 metabolism 138
CO_2 enrichment 138
Coexistence 62
CO_2 limitation 364
Community structure 201, 481
Compensatory growth 316
Competition 57, 89, 104, 120, 132, 242, 295, 354, 401, 450
Competition hierarchy 481
Cone/seed insects 104
Constraints 392
Contest 176
Continuous culture 494
Copepoda 354
Core sampling 374
Cotinus 528
Crab spider 392

Defoliation 279
Defoliation 437
Density 100
Density dependence 430
Desert shrubs 166
Detoxication 219
Diapause (prolonged) 490
Digging 267
Dispersion 212, 354

Ecotype 521
Ecotypes 138
Enclosures 21
Enemy hypothesis 75
Energetic cost 459
Energetics 258
Energy of activation 138
Environmental heterogeneity 201
Ephedra 528
Epidemic model 369
Episodic invasion 62
Equilibrium 430
Esterase 186, 219
Evening Grosbeaks 67
Expected male fitness 345
Exploitation competition 111
Extrafloral nectar 487

Familiar territory 465
Fasting capability 551
Fecundity 249
Feeding 329
Feeding strategy 392
Fine root mass 566
Fire 412
Fish 450
Flooding 443
Flowering 521
Flower production 345
Food level 100
Food limitation 111
Food quality 514
Foraging 329
Foraging mechanisms 267
Foraminifera 354
Functional response 302
Fynbos 412

Gall-formers 28
Galls 75
Gas exchange 437
Genetic variation 559
Germination 521
Grazing 316, 369
Growth 21, 540
Growth form 521
Growth limitation 494

Herbivory 192
Herbivory 547
Hermit crabs 6
Holometabolous insects 361
Home range 212
Host finding 43
Host plant adaptation 559
Host plant odors 43
Host size 28
Humidity 51

Ilex opaca 192
Induced defence 242
Inflorescence removal 279
Injury 100
Inorganic carbon 534
Insect/plant interactions 38
Insect dormancy 490
Insect host colonization 43
Interactions 104
Interference 111
Intraspecific competition 198
Iridoid glycosides 514
Islands 335

Larval development 514
Leeches 329
Life form 379
Life histories 274
Limiting factor 401
Llanos 225
Log-linear models 6
Longevity 249

Marine macroalgae 534
Meiobenthic 354
Mexico 487
Microenvironment 51
Migration 160
Minirhizotron 374
Molinia caerulea 374
Moose 506
Mortality 540
Mountain hare 335
Mountain hares 540
Myrmecochory 412

$NADP^+$-malate dehydrogenase 138
Nectar 361
Neighbor recognition 198
Nesting success 67
Nest predation 274
Nest-site selection 67
Net spinning caddis larvae 176
Niche differentiation 89
Niche segregation 397, 401
Nightshade 289
Nitrogen 166, 316, 379
Nutrient 412
Nutrient availability 566
Nutrients 506
Nutritional indices 514
Nutritional requirements 361
Nutritive quality 341

Odonata 111
Odor dispersion 43
Omnivory 547
Opportunistic predators 397
Optimal foraging 506
Orchids 487
Overlap 212

Parasitoid 145
Parasitoid 181
Parasitoids 75
Partial prey consumption 392
Partitioning 379
Patagonia 501
Perch 21
Phenolic glycosides 186, 219
Phenology 89, 345
Photoperiod 160
Photosynthesis 379, 443, 473, 534
Photosynthetic rates 364
Physiological integration 279
Physiological responses 124
Phytophagous insects 166
Phytoseiidae 302
Plant defense 192
Plant-herbivore interactions 242

Plant-herbivore-predator interactions 418
Plant-insect interactions 166, 219
Plant nutrition 124
Plant population dynamics 369
Plant populations 310
Plant stress 124
Plant water stress 38
Pollen 361
Pollen carryover 1
Pollination 120
Pollinator behaviour 1
Pond drying 100
Population dynamics 494
Population regulation 111
Predation 335
Prey availability 111
Prey capture 154
Prey preference 302
Prey 329
Primary tropical forests 566
Prodoxidae 490
Production 316
Ptiloglossa 289

Rainfall 316
Ratios 285
Recruitment 21, 310
Red fox 335
Regeneration 412
Regrowth 437
Regulation 430
Relationships 285
Relative node position 181
Relative surface area 364
Reproduction 6, 225, 279
Reproductive behavior 67
Reproductive Success 465
Reptiles 323
Resource ecology 6
Resource partitioning 501
Resource supplementation 212
Respiration 473
Ricochet effect 154
Root dynamics 374
Root herbivory 38
Root proliferation 149
Rotifer 494
Rotifera 295

Safe sites 310
Salamander 100
Sawflies 242
Seabird 551
Seabirds 551
Seasonality 201
Secondary compounds 506
Seed dynamics 310
Seed-eating ants 198
Seed germination 369
Seed predation 310
Seed predators 181
Seed set 1
Selection pressure 181
Self-thinning 285
Sex allocation 28, 145
Sex differences 540
Shade tolerance 443
Shrub establishment 62
Shrubs 501
Sister taxa comparative analysis 274
Site fidelity 465
Size-selective predation 450
Social foraging 154
Spatial pattern 201
Species diversity 75
Specific leaf area 379
Spider 459
Spider mites 559
Spiders 154
Spruce budworm 341
Spurious correlation 285
Stable isotope 51
Statistical inference 89, 285
Steady-state growth 494
Steppe 501
Stomatal conductance 443
Storage compounds 528
Strategies 225
Submerged macrophytes 364
Succession 62
Survival 100

Taiga biome 481
Tail loss 100
Temperature 33, 138
Temperature-Dependent sex determination– Sex ratios 323
Tetranychidae 559
Thermal environment 16
Thermal model 323
Thermoregulation 16
Tremulacin 186
Trirhabda canadensis 43
Tropical fishes 225
Tropical forests 51
Tropical forests. 547
Tropics 316
Tuber 132
Turion 132
Tussock grass 437

Umbilicariaceae-anatomy 225, 473

Vibratile 289

Water content 473
Water use 501
Water use efficiency 51
Weather influence 551
Web construction 459
Web relocation 459
Willow ptarmigan 465

Yucca 295, 490